

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
2	179	((java\$6 with machine) and (client near4 server) and (execut\$5 with download\$4) and (browser same applet) and (timer or counter or interval))	USPAT; US-PGPUB; EPO	2004/07/06 13:03
3	165	((java\$6 with machine) and (client near4 server) and (execut\$5 with download\$4) and (browser same applet) and (timer or counter or interval) and ((program or application or component or module or execut\$4 or code or installation) with (logic or instruction or scripts)))	USPAT; US-PGPUB; EPO	2004/07/06 13:10
4	100	((java\$6 with machine) and (client near4 server) and (execut\$5 with download\$4) and (browser same applet) and (timer or counter or interval) and ((program or application or component or module or execut\$4 or code or installation) with (logic or instruction or scripts))) and @ay<2001	USPAT; US-PGPUB; EPO	2004/07/06 13:10
5	78	(((java\$6 with machine) and (client near4 server) and (execut\$5 with download\$4) and (browser same applet) and (timer or counter or interval) and ((program or application or component or module or execut\$4 or code or installation) with (logic or instruction or scripts))) and @ay<2001) and ((link\$4 or point\$4 or referenc\$4 or correspon\$5) with (address or location))	USPAT; US-PGPUB; EPO	2004/07/06 13:10
6	70	((java\$6 with machine) and ((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or module or execut\$4 or code or installation) with (logic or instruction or scripts)))	USPAT; US-PGPUB; EPO	2004/07/06 13:15
7	39	((java\$6 with machine) and ((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or module or execut\$4 or code or installation) with (logic or instruction or scripts))) and @ay<2001	USPAT; US-PGPUB; EPO	2004/07/06 13:17
8	29	(((java\$6 with machine) and ((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or module or execut\$4 or code or installation) with (logic or instruction or scripts))) and @ay<2001) and ((link\$4 or point\$4 or referenc\$4 or correspon\$5) with (address or location))	USPAT; US-PGPUB; EPO	2004/07/06 13:17

9	75	<b>(java\$6 with machine) and ((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or software module or execut\$4 or code or installation) with (logic or component or instruction or scripts))</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:16
10	132	<b>((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or software module or execut\$4 or code or installation) with (logic or component or instruction or scripts))</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:16
11	124	<b>((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or software module or execut\$4 or code or installation) near3 (logic or component or instruction or scripts))</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:17
12	117	<b>((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or software module or execut\$4 or code or installation) near2 (logic or component or instruction or scripts))</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:17
13	64	<b>((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or software module or execut\$4 or code or installation) near2 (logic or component or instruction or scripts))) and @ay&lt;2001</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:17
14	23	<b>((client near4 server) same (execut\$5 with download\$4)) and (browser same applet) and (timer or counter or interval) and ((program or application or component or software module or execut\$4 or code or installation) near2 (logic or component or instruction or scripts))) and @ay&lt;2001) and ((link\$4 or point\$4 or referenc\$4 or correspon\$5) near3 (address or location))</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:31
15	33	<b>((dynamic\$4 or remote\$3) adj updat\$4).ab. and ((program or application or component or module or execut\$4 or code or installation or software) with (logic or instruction or script or component)).ab.</b>	USPAT; US-PGPUB; EPO	2004/07/06 13:36

16	33	((dynamic\$4 or remote\$3) adj updat\$4).ab. same ((program or application or component or module or execut\$4 or code or installation or software) with (logic or instruction or script or component)).ab.	USPAT; US-PGPUB; EPO	2004/07/06 13:36
-	36	(717/168-178.ccls. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic)) and ((link\$3 or point\$3 or referenc\$3 or correspon\$5) with (address\$3 or location))	USPAT; US-PGPUB	2004/07/02 09:32
-	123	717/168-178.ccls. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic))	USPAT; US-PGPUB	2004/07/02 07:54
-	1432	717/168-178.ccls.	USPAT; US-PGPUB	2004/07/02 07:51
-	5	program adj logic adj file	USPAT; US-PGPUB	2004/07/02 09:33
-	1	"6725453"	USPAT	2004/07/02 11:14
-	2177	client with (request\$4 or download\$3 or retriev\$3) same (link\$4 or point\$3 or referenc\$4 or correspon\$5) same (address or location) same (storage or database or disk or disc or location)	USPAT; US-PGPUB	2004/07/02 11:19
-	580	client with ((request\$4 or download\$3 or retriev\$3) with (program or application or component or module or execut\$4 or code or script)) same (link\$4 or point\$3 or referenc\$4 or correspon\$5) same (address or location) same (storage or database or disk or disc or location)	USPAT; US-PGPUB	2004/07/02 11:46
-	6638886	I23and @py<2001	USPAT; US-PGPUB	2004/07/02 11:21
-	85	(client with ((request\$4 or download\$3 or retriev\$3) with (program or application or component or module or execut\$4 or code or script)) same (link\$4 or point\$3 or referenc\$4 or correspon\$5) same (address or location) same (storage or database or disk or disc or location)) and @py<2001	USPAT; US-PGPUB	2004/07/02 11:22
-	1	"0015953"	USPAT;	2004/07/02
-	1	"20040015953"	US-PGPUB	11:48
-	0	20040015953.URPN.	USPAT;	2004/07/02
-	0	20040015953.URPN.	USPAT	11:49
-	0	20040015953.URPN.	USPAT	2004/07/02
-	1	"20030221189"	USPAT; US-PGPUB	11:48

-	0	<b>20030221189.URPN.</b>	<b>USPAT</b>	<b>2004/07/02 11:49</b>
-	0	<b>20030221189.URPN.</b>	<b>USPAT</b>	<b>2004/07/02 11:49</b>
-	26	<b>((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with download\$4)) and @py&lt;2001</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:14</b>
-	15843	<b>sun\$5.as.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 07:58</b>
-	619	<b>sun\$5.as. and (java\$6 with machine)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 07:59</b>
-	259	<b>(sun\$5.as. and (java\$6 with machine)) and (client near4 server)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:02</b>
-	96	<b>((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with download\$4)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:02</b>
-	2	<b>((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with upload\$4)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 13:00</b>
-	2	<b>(sun\$5.as. and (java\$6 with machine)) and (execut\$5 with upload\$4)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:01</b>
-	21	<b>((((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with download\$4)) and @py&lt;2001) and ((program or application or component or module or execute\$4 or code) with (logic or instruction))</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:34</b>
-	1	<b>5790664.pn.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:33</b>
-	1	<b>5372275.pn.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:34</b>
-	1	<b>5732275.pn.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:34</b>
-	0	<b>20020164570.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:05</b>
-	0	<b>20020164570.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:05</b>
-	0	<b>20020164570.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:05</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>

Line Number	Hits	Search Text	DB	Time stamp
-	36	(717/168-178.ccls. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic))) and ((link\$3 or point\$3 or referenc\$3 or correspon\$5) with (address\$3 or location))	USPAT; US-PGPUB	2004/07/02 09:32
-	123	717/168-178.ccls. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic))	USPAT; US-PGPUB	2004/07/06 16:23
-	1432	717/168-178.ccls.	USPAT; US-PGPUB	2004/07/02 07:51
-	5	program adj logic adj file	USPAT; US-PGPUB	2004/07/02 09:33
-	1	"6725453"	USPAT	2004/07/02 11:14
-	2177	client with (request\$4 or download\$3 or retriev\$3) same (link\$4 or point\$3 or referenc\$4 or correspon\$5) same (address or location) same (storage or database or disk or disc or location)	USPAT; US-PGPUB	2004/07/02 11:19
-	580	client with ((request\$4 or download\$3 or retriev\$3) with (program or application or component or module or exec\$4 or code or script)) same (link\$4 or point\$3 or referenc\$4 or correspon\$5) same (address or location) same (storage or database or disk or disc or location)	USPAT; US-PGPUB	2004/07/02 11:46
-	6638886	I23and @py<2001	USPAT; US-PGPUB	2004/07/02 11:21
-	85	(client with ((request\$4 or download\$3 or retriev\$3) with (program or application or component or module or exec\$4 or code or script)) same (link\$4 or point\$3 or referenc\$4 or correspon\$5) same (address or location) same (storage or database or disk or disc or location)) and @py<2001	USPAT; US-PGPUB	2004/07/02 11:22
-	1	"0015953"	USPAT; US-PGPUB	2004/07/02 11:48
-	1	"20040015953"	USPAT; US-PGPUB	2004/07/02 11:49
-	0	20040015953.URPN.	USPAT	2004/07/02 11:48
-	0	20040015953.URPN.	USPAT	2004/07/02 11:48
-	0	20040015953.URPN.	USPAT	2004/07/02 11:48
-	1	"20030221189"	USPAT; US-PGPUB	2004/07/06 16:41
-	0	20030221189.URPN.	USPAT	2004/07/02 11:49

-	0	<b>20030221189.URPN.</b>	<b>USPAT</b>	<b>2004/07/02 11:49</b>
-	26	<b>((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with download\$4)) and @py&lt;2001 sun\$5.as.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:14</b>
-	15843		<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 07:58</b>
-	619	<b>sun\$5.as. and (java\$6 with machine)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 07:59</b>
-	259	<b>(sun\$5.as. and (java\$6 with machine)) and (client near4 server)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:02</b>
-	96	<b>((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with download\$4)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:02</b>
-	2	<b>((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with upload\$4)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 13:00</b>
-	2	<b>(sun\$5.as. and (java\$6 with machine)) and (execut\$5 with upload\$4)</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:01</b>
-	21	<b>((((sun\$5.as. and (java\$6 with machine)) and (client near4 server)) and (execut\$5 with download\$4)) and @py&lt;2001) and ((program or application or component or module or execute\$4 or code) with (logic or instruction))</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 08:34</b>
-	1	<b>5790664.pn.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:33</b>
-	1	<b>5372275.pn.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:34</b>
-	1	<b>5732275.pn.</b>	<b>USPAT; US-PGPUB; EPO</b>	<b>2004/07/06 10:34</b>
-	0	<b>20020164570.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:05</b>
-	0	<b>20020164570.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:05</b>
-	0	<b>20020164570.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:05</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>
-	0	<b>20040060053.URPN.</b>	<b>USPAT</b>	<b>2004/07/06 11:07</b>

	9	(updat\$4 adj software adj component).ab.	USPAT; US-PGPUB; EPO	2004/07/06 13:48
	5	((updat\$4 adj software adj component).ab.) and @ay<2001	USPAT; US-PGPUB; EPO	2004/07/06 13:49
	568	717/168-173.ccIs.	USPAT	2004/07/06 16:05
	2	717/168-173.ccIs. and (client with request) same ((link\$4 or point\$4 or referenc\$4 or correspon\$5) with (address or location))	USPAT	2004/07/06 16:08
	3	717/168-173.ccIs. and (client with request) same ((link\$4 or point\$4 or referenc\$4 or correspon\$5) with (address or location))	USPAT; US-PGPUB; EPO	2004/07/06 13:47
	767	(software adj component).ab.	USPAT; US-PGPUB; EPO	2004/07/06 13:48
	4923245	((updat\$4 adj software adj component).ab.) @ay<2001	USPAT; US-PGPUB; EPO	2004/07/06 13:48
	4923241	I23and @ay<2001	USPAT; US-PGPUB; EPO	2004/07/06 13:49
	34	717/168-173.ccIs. and ((updat\$4 or download\$4) near3 (timer or (time adj stamp) or interval or (preset adj time)))	USPAT; US-PGPUB	2004/07/06 16:36
	568	717/168-173.ccIs.	USPAT	2004/07/06 16:06
	966	717/168-173.ccIs.	USPAT; US-PGPUB; EPO	2004/07/06 16:06
	0	717/168-173.ccIs. and (second adj replace\$4 adj first)	USPAT; US-PGPUB; EPO	2004/07/06 16:07
	527	717/168-173.ccIs. and replac\$4	USPAT; US-PGPUB; EPO	2004/07/06 16:07
	1	5732275.pn.	USPAT; US-PGPUB; EPO	2004/07/06 16:08
	30	717/168-178.ccIs. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic)) and (timer or (time adj stamp))	USPAT; US-PGPUB	2004/07/06 16:28
	43	717/168-178.ccIs. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic)) and (timer or (time adj stamp) or interval or (preset adj time))	USPAT; US-PGPUB	2004/07/06 16:28

	32	<b>717/168-173.ccis. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic)) and (timer or (time adj stamp) or interval or (preset adj time))</b> <b>"I32" and @ay&lt;2001</b>	<b>USPAT; US-PGPUB</b>	<b>2004/07/06 16:32</b>
	726		<b>USPAT; US-PGPUB</b>	<b>2004/07/06 16:29</b>
	20	<b>(717/168-173.ccis. and (client with (request\$3 or launch\$3 or download or retriev\$3) with (program or script\$3 or bytecode or logic)) and (timer or (time adj stamp) or interval or (preset adj time))) and @ay&lt;2001</b>	<b>USPAT; US-PGPUB</b>	<b>2004/07/06 16:29</b>
	20	<b>(717/168-173.ccis. and ((updat\$4 or download\$4) near3 (timer or (time adj stamp) or interval or (preset adj time)))) and @ay&lt;2001</b>	<b>USPAT; US-PGPUB</b>	<b>2004/07/06 16:36</b>
	1	<b>"20020032758"</b>	<b>USPAT; US-PGPUB</b>	<b>2004/07/07 08:14</b>
	1	<b>6263377.pn.</b>	<b>USPAT; US-PGPUB</b>	<b>2004/07/07 08:14</b>